

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	increas\$4 near2 (torsional torq\$4 or angular\$2) near3 oscillat\$4 same engine near2 speed and timing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 14:33
L3	9	"6260532"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 15:09
L5	2	"5713092"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 15:11
L6	22	"4509378"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 15:11
L7	4	increas\$4 near2 (torsional or torq\$4 or angular\$2) near3 oscillat\$4 same engine near2 speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 15:49
S1	3	"6305353"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/30 22:28
S2	23	(oblong or ellip\$6) near3 wheel near10 (tooth or teeth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:51
S3	4	increas\$4 near2 (torsional torq\$4 or angular\$2) near3 oscillat\$4 same engine near2 speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 14:33
S4	1859	123/90.17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 17:15
S6	88	increas\$4 near2 (rotational) near3 frequen\$3 same shaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 18:44

S7	1816	spring near3 mass and rotat\$7 same shaft\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 18:45
S8	227	spring near3 mass and rotat\$7 same shaft\$2 and increas\$4 near3 frequenc\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 18:47
S9	1	10/620136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:00
S10	99	74/431.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:40
S11	912	74/432-435.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:41
S13	13	74/437.ccls. and (sam\$2 or equal\$2) near3 (length or distanc\$2) same (teeth or tooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 15:08
S14	2	123/192.2.ccls. and (sam\$2 or equal\$2) near3 (length or distanc\$2) same (teeth or tooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:25
S15	430	123/192.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:32
S16	97	123/192.2.ccls. and spring\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 15:10
S17	86	74/603-604.ccls. and spring\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 21:00

S18	4	123/90.15-90.18.ccls. and rubber near3 camshaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 15:09
S19	0	123/90.15-90.18.ccls. and rubber near2 (contact or touch) near2 camshaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 12:49
S20	0	123/90.27.ccls. and rubber near2 (touch or contact) near2 camshaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 12:50
S21	0	123/90.31.ccls. and rubber near2 (touch or contact) near2 camshaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 12:51
S22	0	123/90.31.ccls. and seal near2 (touch or contact) near2 camshaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 12:52
S23	0	123/90.15-90.31.ccls. and seal near2 (touch or contact) near2 camshaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 12:52
S24	13	123/90.15-90.31.ccls. and (seal or rubber) near2 camshaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 13:04
S25	2	"5713092"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 13:04
S26	1747	123/90.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 13:11
S27	1865	123/90.17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 14:32